25# Basic 3 In Chlorine Tab



Brand: Bioguard

Product Code: 22512BIO **Availability:** In Stock

Weight: 0.00oz

Dimensions: 0.00in x 0.00in x 0.00in

Phone: 585-889-9624 - Email: shop@aceswim.com

Price: \$159.99

Description

25 lbs - Basic 3" Chlorine Tabs

Use Coupon code: save5%

to save 5% on 25 lb chlorine tabs Now thru May 18th

Features

- 99% Trichloro-s-triazinetrione
- 90% available chlorine
- pH~3.5
- Compatible with chlorine systems
- Do not use in SoftSwim® or other biguanide sanitized systems
- Totally soluble
- Contains 55% stabilizer (by weight)
- Unique compression method produces a slower dissolving tablet
- Slow dissolving
- Long lasting

Benefits

- Stabilized chlorine is not lost to the UV rays of the sun.
- Does not cloud pool water.
- Slow dissolving for steady release of chlorinating product.
- Can be used in skimmers, automatic feeders and some floaters for constant chlorination.
- Sizes and containers are available for all types of pool applications, from floaters to automatic feeders.

Directions for Use Directions for Use

- 1. Ensure all pool equipment is working properly. Clean or backwash filter following manufacturer's directions.
- 2. Balance the water according to ALEX® Pro recommendations.
- 3. Superchlorinate the pool so that a chlorine residual of between 1-4 ppm is obtained. When using other products as outlined in directions for this product, always follow directions on those products.

Automatic Chlorinators and Floater Application

- 1. This product can be used in feeding mechanisms such as automatic chlorinators and floaters as a maintenance treatment.
- 2. Fill unit with this product and adjust the feeding mechanism to ensure a constant treatment level of 1-4 ppm available chlorine in the pool water.
 - Normally 1-2 ounces of this product per 10,000 gallons will be needed daily.
- 3. Use a test kit or test strips to monitor chlorine levels and adjust the chlorine feed mechanism as needed.
 - Check and refill chlorinator as needed.
 - Do not let this product come in direct contact with vinyl liners or other bleachable surfaces as damage may occur.

Skimmer Application

- 1. This product may be used in plastic skimmers only if skimmer and the piping between skimmer and pump are plastic.
- 2. Do not add other chemicals through the skimmer when using this product in

skimmer as an explosion or fire may result.

- 3. Do not turn pump off for more than 8 hours in vinyl pools when this product is in skimmer.
- 4. Initially add one tablet per 10,000 gallons of water.
- 5. Add additional product as determined by a test kit or test strips to maintain chlorine residual of 1-4 ppm.

*Re-entry into treated swimming pools is prohibited above levels of 4 ppm chlorine due to risk of body injury